



## **SAFETY DATA SHEET**

U.S. Department of Labor  
Occupational Safety & Health Administration

### **Sili-Thane (PSI) 803 Caulk**

#### **SECTION 1 - IDENTIFICATION**

**MANUFACTURER:** Authorized Distributor  
Andek Corporation  
**ADDRESS:** 850 Glen Avenue, Moorestown, NJ 08057  
**TELEPHONE:** 1-856-786-6900  
In an emergency, contact CHEMTREC 1-800- 424-9300;  
Outside the United States call +1-703-527-3887  
**PRODUCT IDENTIFIER:** Sili-Thane (PSI) 803 Caulk  
**RECOMMENDED USE:** Sealants and Adhesives

#### **SECTION 2 – HAZARD IDENTIFICATION**

**OSHA/HCS status:** This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Classification of the substance or mixture:** Not classified

**Signal word:** No signal word

**Hazard statements:** No known significant effects or critical hazards

**PICTOGRAMS:** None Required

#### **PRECAUTIONARY STATEMENTS:**

**Prevention:** Not applicable

**Response:** Not applicable

**Storage:** Not applicable

**Disposal:** Not applicable

**Hazards not otherwise classified:** None known

#### **SECTION 3 – COMPOSITION**

**Substance/mixture:** Mixture

CHEMICAL NAME	CAS #	APPROX %
Crystalline Silica non-respirable	14808-60-7	0.1 - 1

Occupational exposure limits, if available, are listed in Section 8

#### **SECTION 4 – FIRST AID MEASURES**

##### **Skin:**

- Flush contaminated skin with plenty of water.
- Remove contaminated clothing and shoes.
- Get medical attention if symptoms occur

##### **Eyes:**

- Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.
- Check for and remove any contact lenses.
- Get medical attention if irritation occurs

##### **Inhalation:**

- Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Get medical attention if symptoms occur

**Ingestion:**

- Wash out mouth with water.
- Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.
- **Do Not** induce vomiting unless directed to do so by medical personnel.
- Get medical attention if symptoms occur

**Most important symptoms/effects, acute and delayed Potential acute health effects:**

**Skin:** No known significant effects or critical hazards

**Eyes:** No known significant effects or critical hazards

**Inhalation:** No known significant effects or critical hazards

**Ingestion:** No known significant effects or critical hazards

**Over-exposure signs/symptoms:**

**Skin:** No specific data

**Eyes:** No specific data

**Inhalation:** No specific data

**Ingestion:** No specific data

**Indication of immediate medical attention and special treatment needed, if necessary:****Notes to physician:**

- Treat symptomatically.
- Contact poison treatment specialist immediately if large quantities have been ingested or inhaled

**Specific treatments:** No specific treatment

**SECTION 5 – FIRE-FIGHTING MEASURES**

**Extinguishing media:** Use an extinguishing agent suitable for the surrounding fire

**Special fire fighting procedures:**

- Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
- No action shall be taken involving any personal risk or without suitable training.
- Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

**Unusual fire & explosion hazards:** No specific fire or explosion hazard

**Decomposition products:** Decomposition products may include the following materials: carbon dioxide, carbon monoxide metal oxide/oxides

**SECTION 6 – ACCIDENTAL RELEASE MEASURES****Personal precautions:**

- No action shall be taken involving any personal risk or without suitable training.
- **Do Not** touch or walk through spilled material.
- Put on appropriate personal protective equipment

**Emergency procedures:**

- Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air)

**Methods and materials used for containment:**

- Move containers from spill area.
- Vacuum or sweep up material and place in a designated, labeled waste container.
- Dispose of via a licensed waste disposal contractor
- Note: see Section 1 for emergency contact information and Section 13 for waste disposal

## **SECTION 7 – HANDLING & STORAGE**

### **Precautions for safe handling:**

- Put on appropriate personal protective equipment (see Section 8)
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
- Workers should wash hands and face before eating, drinking and smoking.
- Remove contaminated clothing and protective equipment before entering eating areas.
- See also Section 8 for additional information on hygiene measures

### **Recommendations on the conditions for safe storage:**

- **Do Not** store above the following temperature: 27°C (80.6°F).
- Store in accordance with local regulations.
- Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.
- Keep container tightly closed and sealed until ready for use.
- Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
- **Do Not** store in unlabeled containers.
- Use appropriate containment to avoid environmental contamination

## **SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION:**

### **Exposure limits:**

<b>CHEMICAL NAME</b>	<b>PEL Z3</b>	<b>TLV -ACGIH</b>
Crystalline Silica non-respirable	250/(%SiO <sub>2</sub> +5) TWA: 250 MPPCF / (%SiO <sub>2</sub> +5) 8 h Form: Respirable 10/(SiO <sub>2</sub> +2) TWA: 10 MG/M <sup>3</sup> / (%SiO <sub>2</sub> +2) 8 h Form: Respirable 30/(%SiO <sub>2</sub> +2) TWA: 30 MG/M <sup>3</sup> / (%SiO <sub>2</sub> +2) 8 h Form: Total dust.	TWA: 0.025 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction

### **Engineering controls:**

- Good general ventilation should be sufficient to control worker exposure to airborne contaminants

### **Individual protection measures:**

- Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
- Wash contaminated clothing before reusing.
- Ensure that eyewash stations and safety showers are close to the workstation location

### **Eye protection:**

- If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields

### **Skin protections:**

- Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES:**

**Physical state:** Solid

**Color:** Gray

**Odor:** Mild

**Odor threshold:** Not available

**pH:** Not applicable

**Melting point/freezing point:** Not available

**Initial boiling point and boiling range:** Not available

**Flash point:** Closed cup: Not applicable (Product does not sustain combustion)

**Evaporation rate:** Not applicable

**Flammability (solid, gas):** Not available

**Upper/lower flammability or explosive limits:** Not available

**Vapor pressure:** Not available

**Vapor density:** Not available

**Relative density:** 1.7

**Solubility:** Insoluble in the following materials: Cold water and hot water

**Partition coefficient: n-octanol/water:** Not available

**Auto-ignition temperature:** Not available

**Decomposition temperature:** >90°C (>194°F)

**Viscosity:** Not available

**SECTION 10 – STABILITY AND REACTIVITY**

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients

**Chemical stability:** stable

**Incompatibility (materials to avoid):** No specific data

**Hazardous decomposition products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced

**Conditions to avoid:** No specific data

**SECTION 11 – TOXICOLOGICAL INFORMATION**

**Acute toxicity:** No specific data.

**Irritation/Corrosion:** No specific data.

**Sensitization:** No specific data.

**Mutagenicity:** No specific data.

**Carcinogenicity:** No specific data.

**Conclusion/Summary:**

- IARC classifies TiO<sub>2</sub> as a 2B carcinogen based in large part on several studies of the effects of the inhalation of TiO<sub>2</sub> on animals in which the TiO<sub>2</sub> particles were of various sizes.
- Particles defined as “ultrafine” have been shown to cause cancer in animals exposed to very high concentrations.
- A number of authorities have reviewed those studies and others involving exposure to ultrafine particles and have concluded that the effects result from overloading the respiratory system of the animals: The effects observed, according to the scientists, are not due to TiO<sub>2</sub> but are general responses to high levels of dust in the lungs. In addition, a carcinogenic effect of TiO<sub>2</sub> dust in the workers was not observed in several epidemiology studies on more than 20,000 TiO<sub>2</sub> industry workers in Europe and the USA, nor were other chronic diseases, including other respiratory diseases, associated with exposure to TiO<sub>2</sub> dust.
- Accordingly, we have concluded that our products should not be classified on the basis of the presence of TiO<sub>2</sub> in the products.
- This product contains crystalline silica in a polymer matrix. Sanding the cured product may release particles containing crystalline silica with the polymer and other components of the matrix into the air. OSHA has concluded that respirable crystalline silica (RCS) causes silicosis, lung cancer, effects on the kidneys (renal disease) and the immune system. Appropriate evaluations of the use of the product should be performed to determine if exposure to RCS occurs due to handling and use. If such exposures occur, appropriate precautions must be taken to prevent exposure in excess of the OSHA Permissible Exposure Limit (PEL)

**Classification:**

CHEMICAL NAME	OSHA	IARC	NTP
Crystalline Silica non-respirable	-	1	Known to be a human carcinogen

**Reproductive toxicity:** No specific data

**Teratogenicity:** No specific data

**Specific target organ toxicity (single exposure):** No specific data

**Specific target organ toxicity (repeated exposure):** No specific data

**Aspiration hazard:** No specific data

**Potential chronic health effects:** No specific data.

Health Effects	Eye contact	Inhalation	Skin contact	Ingestion
Acute	No known significant effects or critical hazards	No known significant effects or critical hazards	No known significant effects or critical hazards	No known significant effects or critical hazards
Symptoms related to - Physical, chemical and toxicological characteristics	No specific data	No specific data	No specific data	No specific data
Likely routes of exposures	Not available	Not available	Not available	Not available
Short and long term exposure	Not available	Not available	Not available	Not available

**General:** No known significant effects or critical hazards

**Carcinogenicity:** No known significant effects or critical hazards

**Mutagenicity:** No known significant effects or critical hazards

**Teratogenicity:** No known significant effects or critical hazards

**Developmental effects:** No known significant effects or critical hazards

**Fertility effects:** No known significant effects or critical hazards

**Numerical measures of toxicity:**

**Acute toxicity estimates**

Route	ATE value
Oral	41979 mg/kg

**SECTION 12 – ECOLOGICAL INFORMATION**

**Biodegradation:** No specific data

**Bioaccumulation potential:** No specific data

**Mobility in soil (soil/water partition coefficient (K<sub>oc</sub>)):** N/A

**Other adverse effects:** No known significant effects or critical hazards

**SECTION 13 – DISPOSAL CONSIDERATIONS**

**Disposal of waste:**

- The generation of waste should be avoided or minimized wherever possible.
- Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
- Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
- Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Waste packaging should be recycled.
- Incineration or landfill should only be considered when recycling is not feasible.
- This material and its container must be disposed of in a safe way.
- Empty containers or liners may retain some product residues.
- Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers

**RCRA classification:** Not applicable

**SECTION 14 – TRANSPORT INFORMATION**

UN #	Not regulated
UN PROPER SHIPPING NAME:	N/A
HAZARD CLASS:	N/A
PACKING GROUP:	N/A
ENVIRONMENTAL HAZARDS:	No
GUIDANCE ON TRANSPORT IN BULK:	N/A

**Transport labels required:** This product is not regulated by the D.O.T.

**SECTION 15 – REGULATORY INFORMATION**

**US Federal Regulation:**

- **TSCA 4(a) final test rules:** Tetramethyl orthosilicate
- **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined
- **United States inventory (TSCA 8b):** All components are listed or exempted.
- **Clean Water Act (CWA) 311:** Ethylenediamine

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs):** Not listed

**Clean Air Act Section 602 Class I Substances:** Not listed

**Clean Air Act Section 602 Class II Substances:** Not listed

**SARA 302/304 Composition/information on ingredients:**

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
Ethylenediamine	0 - 0.1	Yes.	10000	1334.1	5000	667

**SARA 304 RQ :** 77639751.6 lbs / 35248447.2 kg

**SARA 311/312 Classification:** Not applicable.

**Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Crystalline Silica non-respirable	0.1 - 1	No.	No.	No.	No.	Yes.

**US State Right to Know Regulations:**

State	Calcium Carbonate	Limestone	Quartz (SiO <sub>2</sub> )	Silica
Massachusetts	Listed	Not listed	Not listed	Not listed
New York	Not listed	Not listed	Not listed	Not listed
New Jersey	Listed	Listed	Listed	Listed
Pennsylvania	Not listed	Listed	Listed	Not listed
Minnesota	Not listed	Not listed	Not listed	Not listed

**CA Prop 65:**

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.
- **WARNING:** This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

CHEMICAL NAME	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Titanium Dioxide	Yes.	No.	No.	No.
Crystalline Silica non-respirable	Yes.	No.	No.	No.
Carbon black respirable	Yes.	No.	No.	No.
Methanol	No.	Yes.	No.	23000 µg/day (ingestion) 47000 µg/day(inhalation)

**Canada:** Not determined

**International regulations:****International lists:**

- **Australia inventory (AICS):** At least one component is not listed.
- **China inventory (IECSC):** At least one component is not listed.
- **Japan inventory:** Not determined.
- **Korea inventory:** At least one component is not listed.
- **Malaysia Inventory (EHS Register):** Not determined.
- **New Zealand Inventory of Chemicals (NZIoC):** At least one component is not listed.
- **Philippines inventory (PICCS):** At least one component is not listed.
- **Taiwan inventory (CSNN):** Not determined

**Substances of very high concern:** None of the components are listed

**SECTION 16 – OTHER INFORMATION (HMIS RATING)**

Health	1
Flammability	0
Physical Hazard	0
Personal Protection	B

**Disclaimer:** Andek Corporation believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the issue date of this Safety Data Sheet (SDS). However, because the conditions of handling, use, and storage of these materials are beyond Andek Corporation's control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials and make no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations contained in the SDS are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data and to comply with all applicable international, federal, state and local laws and regulations.